



# **International Earth system expert workshop on ocean stresses and impacts**

**Summary workshop report**

**EMBARGOED 1300 BST Monday June 20th 2011**

**June 2011**

When quoted this report should be referred to as:

Rogers, A.D. & Laffoley, D.d'A. 2011. International Earth system expert workshop on ocean stresses and impacts. Summary report. IPSO Oxford, 18 pp.

## Content

1. Introduction.....	4
2. Workshop objectives.....	4
3. Scientific conclusions from the workshop.....	5
4. Recommendations from the workshop.....	7
5. Conclusions.....	8
<hr/>	
Annex 1. Workshop participants.....	10
Annex 2. Detailed proposals for a UN Global Ocean Governance Commission (GOGC).....	13

## 1. Introduction

Between 11<sup>th</sup> and 13<sup>th</sup> April 2011 world experts on the ocean met at the Margaret Thatcher Conference Centre, Somerville College, University of Oxford. This event was led by the International Programme on the State of the Ocean (IPSO), in partnership with the International Union for Conservation of Nature (IUCN), and brought together a select group of world science leaders on ocean stresses and impacts to reflect on these, and propose creative solutions.

The workshop provided a rare opportunity to interact with other disciplines to determine the net effect of what is already happening to the ocean and is projected to do so in the future. Over the three days 27 participants from 18 organisations in 6 countries (Annex 1) assessed the latest information on impacts and stresses, and the synergistic effects these are having on the global ocean.

Through presentations, discussions and recommendations the workshop documented and described the cumulative effects of such impacts, how these commonly act in a negatively synergistic way, and why therefore concerted action is now needed to address the consequences set out in this report.

The scientific outcomes from this workshop will be used first and foremost to strengthen the case for greater action to reduce anthropogenic emissions of carbon dioxide related to climate change and ocean acidification while also reducing other stressors. The findings underscore the need for more effective management of fisheries and pollution and for strengthening protection of the 64% of the ocean that lies beyond the zones of national jurisdiction. They thereby form a major contribution to implementation of the major IPSO report on the Global State of the Ocean. This event follows on from the IPSO/Royal Society event in 2009 that focussed on the future for coral reefs.

## 2. Workshop objectives

The objectives of the workshop were to:

- Review the latest information on ocean stresses and impacts and the levels of confidence around what is being expressed;
- Summarise the likely consequence of existing stresses on the ocean;
- Summarise the likely consequence of projected stresses from 2020 through to 2050;
- Determine the synergistic effects of multiple stresses on the ocean and what this may mean for the future.

The timeline for consideration was from today through 2020 to 2050.

## 3. Scientific conclusions from the workshop

The workshop enabled leading experts to take a global view on how all the different effects we are having on the ocean are compromising its ability to support us. This examination of synergistic threats leads to the conclusion that we have underestimated the overall risks and that the whole of marine degradation is greater than the sum of its parts, and that degradation is now happening at a faster rate than predicted.

It is clear that the traditional economic and consumer values that formerly served society well, when coupled with current rates of population increase, are not sustainable. The ocean is the largest ecosystem on Earth, supports us and maintains our world in a habitable condition. To maintain the goods and services it has provided to humankind for millennia demands change in how we view, manage, govern and use marine ecosystems. The scale of the stresses on the ocean means that deferring action will increase costs in the future leading to even greater losses of benefits.

The key points needed to drive a common sense rethink are:

- **Human actions have resulted in warming and acidification of the oceans and are now causing increased hypoxia.**

Studies of the Earth's past indicate that these are three symptoms that indicate disturbances of the carbon cycle associated with each of the previous five mass extinctions on Earth (e.g. Erwin, 2008; Veron, 2008a,b; Veron et al., 2009; Barnosky et al., 2011).

- **The speeds of many negative changes to the ocean are near to or are tracking the worst-case scenarios from IPCC and other predictions. Some are as predicted, but many are faster than anticipated, and many are still accelerating.**

Consequences of current rates of change already matching those predicted under the “worst case scenario” include: the rate of decrease in Arctic Sea Ice (Stroeve et al., 2007; Wang & Overland, 2009) and in the accelerated melting of both the Greenland icesheet (Velicogna, 2009; Khan et al., 2010; Rignot et al., 2011) and Antarctic ice sheets (Chen et al., 2009; Rignot et al., 2008, 2011; Velicogna, 2009); sea level rise (Rahmstorf 2007a,b; Rahmstorf et al., 2007; Nicholls et al., 2011); and release of trapped methane from the seabed (Westbrook et al., 2009; Shakova et al., 2010; although not yet globally significant Dlugokencky et al., 2009).

The ‘worst case’ effects are compounding other changes more consistent with predictions including: changes in the distribution and abundance of marine species (Beaugrand & Reid, 2003; Beaugrand 2004, 2009; Beaugrand et al., 2003; 2010; Cheung et al. 2009, 2010, Reid et al., 2007; Johnson et al., 2011; Philippart et al., 2011; Schiel, 2011; Wassmann et al., 2011; Wernberg et al., 2011); changes in primary production (Behrenfeld et al., 2006; Chavez et al., 2011); changes in the distribution of harmful algal blooms (Heisler et al., 2008; Bauman et al., 2010); increases in health hazards in the oceans (e.g. ciguatera, pathogens; Van Dolah, 2000; Lipp et al., 2002; Dickey & Plakas, 2009); and loss of both large, long-lived and small fish species causing widespread impacts on marine ecosystems, including direct impacts on predator and prey species, the simplification and destabilization of food webs, reduction of resilience to the effects of climate change (e.g. Jackson et al. 2001; Pauly et al., 1998; Worm & Myers, 2003;

Baum & Myers, 2004; Rosenberg et al., 2005; Worm et al., 2006; Myers et al., 2007; Jackson, 2008; Baum & Worm, 2009; Ferretti et al., 2010; Hutchings et al., 2010; Ward-Paige et al., 2010; Pinsky et al., 2011).

- **The magnitude of the cumulative impacts on the ocean is greater than previously understood**  
Interactions between different impacts can be negatively synergistic (negative impact greater than sum of individual stressors) or they can be antagonistic (lowering the effects of individual impacts). Examples of such interactions include: combinations of overfishing, physical disturbance, climate change effects, nutrient runoff and introductions of non-native species leading to explosions of these invasive species, including harmful algal blooms, and dead zones (Rabalais et al., 2001, 2002; Daskalov et al., 2007; Purcell et al., 2007; Boero et al., 2008; Heisler et al., 2008; Dickey & Plakas, 2009; Bauman et al., 2010; Vaquer-Sunur & Duarte, 2010); increased temperature and acidification increasing the susceptibility of corals to bleaching (Anthony et al., 2008) and acting synergistically to impact the reproduction and development of other marine invertebrates (Parker et al., 2009); changes in the behavior, fate and toxicity of heavy metals with acidification (Millero et al., 2009; Pascal et al., 2010); acidification may reduce the limiting effect of iron availability on primary production in some parts of the ocean (Shi et al., 2010; King et al., 2011); increased uptake of plastics by fauna (Andrady 2011, Hirai & Takada et al. 2011, Murray & Cowie, 2011), and increased bioavailability of pollutants through adsorption onto the surface of microplastic particles (Graham & Thompson 2009, Moore 2008, Thomson, et al., 2009); and feedbacks of climate change impacts on the oceans (temperature rise, sea level rise, loss of ice cover, acidification, increased storm intensity, methane release) on their rate of CO<sub>2</sub> uptake and global warming (Lenton et al., 2008; Reid et al 2009).
- **Timelines for action are shrinking.**  
The longer the delay in reducing emissions the higher the annual reduction rate will have to be and the greater the financial cost. Delays will mean increased environmental damage with greater socioeconomic impacts and costs of mitigation and adaptation measures.
- **Resilience of the ocean to climate change impacts is severely compromised by the other stressors from human activities, including fisheries, pollution and habitat destruction.**  
Examples include the overfishing of reef grazers, nutrient runoff, and other forms of pollution (presence of pathogens or endocrine disrupting chemicals (Porte et al., 2006; OSPAR 2010)) reducing the recovery ability of reefs from temperature-induced mass coral bleaching (Hoegh-Guldberg et al., 2007; Mumby et al., 2007; Hughes et al., 2010; Jackson, 2010; Mumby & Harborne, 2010) . These multiple stressors promote the phase shift of reef ecosystems from being coral-dominated to algal dominated. The loss of genetic diversity from overfishing reduces ability to adapt to stressors.
- **Ecosystem collapse is occurring as a result of both current and emerging stressors.**  
Stressors include chemical pollutants, agriculture run-off, sediment loads and over-extraction of many components of food webs which singly and together severely impair the functioning of ecosystems. Consequences include the potential increase of harmful algal blooms in recent

decades (Van Dolah, 2000; Landsberg, 2002; Heisler et al., 2008; Dickey & Plakas, 2009; Wang & Wu, 2009); the spread of oxygen depleted or dead zones (Rabalais et al., 2002; Diaz & Rosenberg, 2008; Vaquer-Sunyer & Duarte, 2008); the disturbance of the structure and functioning of marine food webs, to the benefit of planktonic organisms of low nutritional value, such as jellyfish or other gelatinous-like organisms (Broder et al., 1999; Mills, 2001; Pauly et al. 2009; Boero et al., 2008; Moore et al., 2008); dramatic changes in the microbial communities with negative impacts at the ecosystem scale (Dinsdale et al., 2008; Jackson, 2010); and the impact of emerging chemical contaminants in ecosystems (la Farré et al., 2008). This impairment damages or eliminates the ability of ecosystems to support humans.

- **The extinction threat to marine species is rapidly increasing.**

The main causes of extinctions of marine species to date are overexploitation and habitat loss (Dulvy et al., 2009). However climate change is increasingly adding to this, as evidenced by the recent IUCN Red List Assessment of reef-forming corals (Carpenter et al., 2008). Some other species ranges have already extended or shifted pole-wards and into deeper cooler waters (Reid et al., 2009); this may not be possible for some species to achieve, potentially leading to reduced habitats and more extinctions. Shifts in currents and temperatures will affect the food supply of animals, including at critical early stages, potentially testing their ability to survive.

**The participants concluded that not only are we already experiencing severe declines in many species to the point of commercial extinction in some cases, and an unparalleled rate of regional extinctions of habitat types (eg mangroves and seagrass meadows), but we now face losing marine species and entire marine ecosystems, such as coral reefs, within a single generation. Unless action is taken now, the consequences of our activities are at a high risk of causing, through the combined effects of climate change, overexploitation, pollution and habitat loss, the next globally significant extinction event in the ocean. It is notable that the occurrence of multiple high intensity stressors has been a pre-requisite for all the five global extinction events of the past 600 million years (Barnosky et al., 2009).**

#### **4. Recommendations from the workshop**

The participants of the meeting agreed to the following recommendations based on workshop conclusions.

Technical means to achieve the solutions to many of these problems already exist, but that current societal values prevent humankind from addressing them effectively. Overcoming these barriers is core to the fundamental changes needed to achieve a sustainable and equitable future for the generations to come and which preserves the natural ecosystems of the Earth that we benefit from and enjoy today. This meeting of experts offers the following recommendations to citizens and governments everywhere to transform how we manage, govern and protect the ocean:

- **Immediate reduction in CO<sub>2</sub> emissions** coupled with significantly increased measures for mitigation of atmospheric CO<sub>2</sub> and to better manage coastal and marine carbon sinks to avoid additional emissions of greenhouse gases.
  - It is a matter of urgency that the ocean is considered as a priority in the deliberations of the IPCC and UNFCCC.
- **Urgent actions to restore the structure and function of marine ecosystems**, including the coordinated and concerted action in national waters and on the High Seas (the high seas water column and seabed Area beyond national jurisdiction) by states and regional bodies to:
  - reduce fishing effort to levels commensurate with long-term sustainability of fisheries and the marine environment;
  - close fisheries that are not demonstrably managed following sustainable principles, or which depend wholly on government subsidies;
  - establish a globally comprehensive and representative system of marine protected areas to conserve biodiversity, to build resilience, and to ensure ecologically sustainable fisheries with minimal ecological footprint;
  - prevent, reduce and strictly control inputs of substances that are harmful or toxic to marine organisms into the marine environment;
  - prevent, reduce and strictly control nutrient inputs into the marine environment through better land & river catchment management and sewage treatment;
  - avoid, reduce or at minimum, universally and stringently regulate oil, gas, aggregate and mineral extraction;
  - assess, monitor and control other uses of the marine environment such as renewable energy schemes or cable / pipeline installation through comprehensive spatial planning and impact assessments procedures.
- **Proper and universal implementation of the precautionary principle** by reversing the burden of proof so activities proceed only if they are shown not to harm the ocean singly or in combination with other activities.
- **Urgent introduction by the UN Security Council and the UN General Assembly of effective governance of the High Seas** beyond the jurisdiction of any individual nations. This should include a global body empowered to ensure compliance with the UN Convention on the Law of the Sea and other relevant legal duties and norms and to establish new rules, regulations and procedures where necessary to implement these requirements in an ecosystem-based and precautionary manner. (See Annex 2 for detailed proposals for a new Global Ocean Compliance Commission GOCC).

## 4. Conclusions

The current inadequate approaches to management of activities that impact the ocean have led to intense multiple stressors acting together in many marine ecosystems.

The impact of such stressors is often negatively synergistic meaning that the combination of the two magnifies the negative impacts of each one occurring alone. This is already resulting in large-scale



changes in the ocean at an increasing rate and in some regions has resulted in ecosystem collapse. The continued expansion in global population exerts ever increasing pressures on scarcer ocean resources and tackling this issue needs to be a part of the solution to current concerns.

The changes in the ocean that are coming about as a result of human CO<sub>2</sub> emissions are perhaps the most significant to the Earth system particularly as they involve many feedbacks that will accelerate climate change.

The resilience of many marine ecosystems has been eroded as a result of existing stressors, leading to increased vulnerability to climate change impacts and a decreased capacity for recovery. An example is coral reefs, the most biodiverse marine ecosystem and one of the most valuable in socioeconomic terms to humankind.

Human interactions with the ocean must change with the rapid adoption of a holistic approach to sustainable management of all activities that impinge marine ecosystems. This has to be part of a wider re-evaluation of the core values of human society and its relationship to the natural world and the resources on which we all rely. As such the current and future state of the ocean should form an integral part of the discussions on sustainable development at the Earth Summit in Rio, 2012.

For more information regarding this report, or to talk to its authors and case study contributors, please contact:

Charlotte Smith on 07790 222 307 [charlotte@communicationsinc.co.uk](mailto:charlotte@communicationsinc.co.uk)

Luke Malcher on 07816 280106 [luke@communicationsinc.co.uk](mailto:luke@communicationsinc.co.uk)

**Annex 1. Workshop participants.**

<b>NAME</b>	<b>Title</b>	<b>Organisation</b>	<b>Email Address</b>
Alex Rogers	Professor of Conservation Biology & Director	Department of Zoology, University of Oxford & The International Programme on the State of the Ocean	<a href="mailto:alex.rogers@zoo.ox.ac.uk">alex.rogers@zoo.ox.ac.uk</a>
Aurelie Spadone	Marine Programme Officer	International Union for Conservation of Nature	<a href="mailto:Aurelie.SPADONE@iucn.org">Aurelie.SPADONE@iucn.org</a>
Barry Gardiner	Vice President GLOBE UK	Global Legislators Organisation	<a href="mailto:Beth.Gardiner-Smith@globeinternational.org">Beth.Gardiner-Smith@globeinternational.org</a>
Charles Sheppard	Professor	University of Warwick	Charles.Sheppard@warwick.ac.uk
Charlotte Smith	Senior Accounts Director	Communications INC	<a href="mailto:charlotte@communicationsinc.co.uk">charlotte@communicationsinc.co.uk</a>
Chris Yesson	Postdoctoral Research Assistant	Institute of Zoology, Zoological Society of London	<a href="mailto:Chris.Yesson@ioz.ac.uk">Chris.Yesson@ioz.ac.uk</a>
Conn Nugent	Executive Director	JM Kaplan Fund	<a href="mailto:cnugent@jmkfund.org">cnugent@jmkfund.org</a>
Dan Laffoley	Marine Vice Chair, IUCN's World Commission on Protected Areas & Senior Advisor, Marine Science and Conservation, GMPP, IUCN	International Union for Conservation of Nature	<a href="mailto:danlaffoley@btinternet.com">danlaffoley@btinternet.com</a>
Daniel Pauly	Professor of Fisheries	University of British Columbia	d.pauly@fisheries.ubc.ca
Derek Tittensor	Research scientist	Microsoft Research	derekt@mathstat.dal.ca
James Oliver	Project Officer	International Union for Conservation of Nature	<a href="mailto:james.oliver@iucn.org">james.oliver@iucn.org</a>
Jelle Bijma	Professor	Alfred Wegener Institute for Polar and	<a href="mailto:jelle.bijma@awi.de">jelle.bijma@awi.de</a>

		Marine Research Jacobs University Bremen	
Josh Reichert	Managing Director	Pew Environment Group	<a href="mailto:ireichert@pewtrusts.com">ireichert@pewtrusts.com</a>
Karen Sack	Director of international ocean conservation	Pew Environment Group	<a href="mailto:ksack@pewtrusts.org">ksack@pewtrusts.org</a>
Kelly Rigg	Executive Director	Global Campaign for Climate Action	<a href="mailto:kelly@vardagroup.org">kelly@vardagroup.org</a>
Kirsty Kemp	Postdoctoral Researcher	Institute of Zoology, Zoological Society of London	<a href="mailto:Kirsty.Kemp@ioz.ac.uk">Kirsty.Kemp@ioz.ac.uk</a>
Kristina M Gjerde	High Seas Policy Advisor	International Union for Conservation of Nature	<a href="mailto:kgjerde@eip.com.pl">kgjerde@eip.com.pl</a>
Matt Gianni	Policy Advisor	Deep Sea Conservation Coalition	<a href="mailto:matthewgianni@netscape.net">matthewgianni@netscape.net</a>
Mirella Von Lindenfels	Director	The International Programme on the State of the Ocean	<a href="mailto:mirella@communicationsinc.co.uk">mirella@communicationsinc.co.uk</a>
Ove Hoegh- Guldberg	Professor and Director	Global Change Institute University of Queensland	<a href="mailto:oveh@uq.edu.au">oveh@uq.edu.au</a>
Patricio Bernal	Project Coordinator  IUCN High Seas Initiative	International Union for Conservation of Nature	<a href="mailto:patricio.bernal@iucn.org">patricio.bernal@iucn.org</a>
Phil Trathan	Head of Conservation Biology	British Antarctic Survey	<a href="mailto:pnt@bas.ac.uk">pnt@bas.ac.uk</a>
Philip Chris Reid	Senior Research Fellow, Professor	Sir Alasdair Hardy Foundation for Ocean Science  University of Plymouth	<a href="mailto:pchrisreid@googlemail.com">pchrisreid@googlemail.com</a>
Tom Hutchinson	Programme Scientist – Environment & Health	Centre for Environment, Fisheries & Aquaculture Science	<a href="mailto:tom.hutchinson@cefas.co.uk">tom.hutchinson@cefas.co.uk</a>

		(CEFAS)	
Tony Pitcher	Professor	University of British Columbia	<a href="mailto:pitcher.t@gmail.com">pitcher.t@gmail.com</a>
William Cheung	Lecturer in Marine Ecosystem Services	University of East Anglia	<a href="mailto:william.cheung@uea.ac.uk">william.cheung@uea.ac.uk</a>

## Annex 2. Detailed proposals for a UN Global Ocean Compliance Commission (GOCC).

Based on evidence presented at this meeting, it is recommend that:

1. The burden of proof under UNCLOS [and international customary law and treaties] be reversed to ensure that those utilizing resources or engaging in activities that affect the High Seas (defined as the high seas water column and seabed Area beyond national jurisdiction) must demonstrate that their activities are in compliance with the law.
2. Within the next 6 months, the UN Security Council in conjunction with the General Assembly call on the UN Secretary General to establish a Global Ocean Compliance Commission (GOCC) for the High Seas to address issues such as, but not limited to, highly migratory and straddling species, discrete high seas species, pollution including long-range/transboundary pollution, illegal fishing, overfishing, marine spatial planning, protected areas and ecosystem conservation and other processes and activities that may adversely affect the High Seas.
3. Powers: The Compliance Commission will set out the regulatory requirements to comply with the provisions of UNCLOS with respect to protection and preservation of the marine environment and the conservation, sustainable and equitable use of high seas biodiversity and resources in accordance with the ecosystem approach and precautionary principle. It will have reference to UNFSA, decisions taken by the CBD, the UNFCCC, the IMO, the ISA, the UN Convention on Desertification, and other relevant bodies, conventions and global commitments.
4. The Commission shall have power to levy mandatory contributions from *inter alia*, States, High Seas resource users, and registered vessel owners
5. The Commission shall have powers to develop and implement a regime for sharing of benefits of marine genetic resources originating from areas beyond national jurisdiction, building on the access and benefit sharing agreement developed under the CBD and other relevant mechanisms.
6. Secretariat: The Commission will establish a Secretariat to oversee the implementation of and compliance with the regulations established by the Commission.
7. Compliance Fund: The Commission will establish a Compliance Fund. . The fund shall be used to enhance the conservation and equitable use of High Seas resources and biodiversity, and to build the capacity of developing states to participate in the formulation of and to comply with Commission regulations.<sup>1</sup>
8. Enforcement: The Commission shall be empowered to develop an effective enforcement regime. Such a regime should include powers to levy fines, suspend a States right to flag vessels

---

<sup>1</sup> From Article 21 of the Port State Measures Agreement

and/or to suspend the power of an RFMO to regulate fisheries and allocate fish quotas if found in repeated breach of the Commission's regulations. In furtherance of such a regime, the Commission shall have the power to establish or designate an organization to conduct investigations, initiate judicial proceedings on an expeditious basis, and apply sanctions in respect of violations that are adequate in severity to be effective in securing compliance and discourage violations wherever they occur and deprive offenders of the benefits accruing from their illegal activities. In circumstances where there is no RFMO or the RFMO is suspended, the Commission shall have the power to assume management responsibility or designate another body for that purpose.<sup>2</sup>

9. Data and Information: The Commission shall have the power to require the provision of data and information<sup>3</sup> from any one engaged in high seas activities or resource use that it deems necessary to demonstrate compliance with Commission regulations. The Commission shall have regard to the need to protect commercial and other sensitive information and to maintain such confidentially, as appropriate. The confidentiality of such data must in no way be used to impair the proper functioning of the Commission. Consistent with the above, the Commission shall endeavor to make all data and information freely available.
  
10. Capacity building and development: The Commission shall have the power to provide financial support and develop programs of training and technical assistance for the purposes of building the capacity of developing states to participate in the formulation of and to comply with Commission regulations.<sup>4</sup>

---

<sup>2</sup> Based on 1958 High Seas Living Resources Agreement.

<sup>3</sup> Based on UNCLOS 217

<sup>4</sup> From Article 21 of the Port State Measures Agreement

## References

- Andrady AL. 2011. Microplastics in the Marine Environment. *Marine Pollution Bulletin*, In Press
- Anthony, K.R.N., Kline, D.I., Diaz-Pulido, G., Dove, S., Hoegh-Guldberg, O. 2008 Ocean acidification causes bleaching and productivity loss in coral reef builders. *Proceedings of the National Academy of Science of the USA* 105: 17442-17446
- Barnosky, A.D., Matzke, N., Tomiya, S., Wogan, G.O.U., Swartz, B., Quental, T.B., Marshall, C., McGuire, J.L., Lindsey, E.L., Maguire, K.C., Mersey, B., Ferrer, E.A. 2011 Has the Earth's sixth mass extinction already arrived? *Nature* 471: 51-57
- Baum, J.K., Myers, R.A. 2004 Shifting baselines and the decline of pelagic sharks in the Gulf of Mexico *Ecology Letters* 7: 135-145
- Baum, J.K., Worm, B. 2009 Cascading top-down effects of changing oceanic predator abundances. *Journal of Animal Ecology* doi: 10.1111/j.1365-2656.2009.01531.x
- Bauman, A.G., Burt, J.A., Feary, D.A., Marquis, E., Usseglio, P. 2010 Tropical harmful algal blooms: An emerging threat to coral reef communities? *Marine Pollution Bulletin* 60: 2117-2122
- Beaugrand, G. 2004 The North Sea regime shift: evidence, causes, mechanisms and consequences. *Progress Oceanography* 60: 245–262
- Beaugrand, G. 2009 Decadal changes in climate and ecosystems in the North Atlantic Ocean and adjacent seas. *Deep Sea Research II* 56: 656–673
- Beaugrand, G., Brander, K.M., Lindley, J.A., Souissi, S., Reid, P.C. 2003 Plankton effect on cod recruitment in the North Sea. *Nature* 426: 661–664
- Beaugrand, G., Edwards, M., Legendre, L. 2010 Marine biodiversity, ecosystem functioning, and carbon cycles. *Proceedings of the National Academy of Science of the USA* 107: 10120-10124
- Beaugrand, G., Reid, P.C. 2003 Long-term changes in phytoplankton, zooplankton and salmon related to climate. *Global Change Biology* 9: 801–817
- Behrenfeld, M.J., O'Malley, R.T., Siegel, D.A., McClain, C.R., Sarmiento, J.R., Feldman, G.C., Milligan, A.J., Falkowski, P.G., Letelier, R.M., Boss, E.S. 2006 Climate-driven trends in contemporary ocean productivity. *Nature* 444: 752-755
- Boero, F., Bouillon, J., Gravili, C., Miglietta, M.P., Parsons, T., Piraino, S. 2008 Gelatinous plankton: irregularities rule the world (sometimes). *Marine Ecology Progress Series* 356: 299-310
- Brodeur, R.D., Mills, C.E., Overland, J.E., Walters, G.E., Schumacher, J.D. 1999 Evidence for a substantial increase in gelatinous zooplankton in the Bering Sea, with possible links to climate change. *Fisheries Oceanography* 8: 296-306
- Carpenter, K.E., Abrar, M., Aeby, G., Aronson, R.B., Banks, S., Bruckner, A., Chiriboga, A., Cortés, J., Delbeek, J.C., DeVantier, L., Edgar, G.J., Edwards, A.J., Fenner, D., Guzmán, H.M., Hoeksema, B.W.,

Hodgson, G., Johan, O., Licuanan, W.Y., Livingstone, S.R., Lovell, E.R., Moore, J.A., Obura, D.O., Ochavillo, D., Polidoro, B.A., Preech, W.F., Quibilan, M.C., Reboton, C., Richards, Z.T., Rogers, A.D., Sanciangco, J., Sheppard, A., Sheppard, C., Smith, J., Stuart, S., Turak, E., Veron, J.E.N., Wallace, C., Weil, E., Wood, E. 2008 One third of reef-building corals face elevated extinction risk from climate change and local impacts. *Science* **321**: 560-563.

Chavez, F.P., Messié, M., Pennington, J.T. 2011 Marine Primary production in relation to climate variability and change. *Annual Review of Marine Science* 3: 227-260

Chen, J.L., Wilson, C.R., Blankenship, D., Tapley, B.D. 2009 Accelerated Antarctic ice loss from satellite gravity measurements. *Nature Geoscience* 2: DOI: 10.1038/NCEO694

Cheung, W.W.L., V.W.Y. Lam, J.L. Sarmiento, K. Kearney, R. Watson, D. Zeller, D. Pauly. 2010. Large-scale redistribution of maximum fisheries catch potential in the global ocean under climate change. *Global Change Biology* 16: 24-35.

Cheung, W.W.L., V.W.Y. Lam, J.L. Sarmiento, K. Kearney R. Watson, D. Pauly. 2009. Projecting global marine biodiversity impacts under climate change scenarios. *Fish and Fisheries* 10: 235-251.

Daskalov, G.M., Grishin, A.N., Rodionov, S., Mihneva, V. 2007 Trophic cascades triggered by overfishing reveal possible mechanisms of ecosystem regime shifts. *Proceedings of the National Academy of Science of the USA* 104: 10518–10523

Diaz, R.J., Rosenberg, R. 2008 Spreading dead zones and consequences for marine ecosystems. *Science* 321: 926-929

Dickey, R.W., Plakas, S.M. 2009 Ciguatera: A public health perspective. *Toxicon* 56: 123-136

Dinsdale, E.A., Pantos, O., Smriga, S., Edwards, R.A., Angly, F., Wegley, L., Hatay, M., Hall, D., Brown, E., Haynes, M., Krause, L., Sala, E., Sandin, S.A., Thurber, R.V., Willis, B.L., Azam, F., Knowlton, N., Rohwer, F. 2008 Microbial ecology of four coral atolls in the northern Line Islands. *PLoSone* 3: e1584

Dlugokencky, E.J., Bruhwiler, L., White, J.W.C., Emmons, L.K., Novelli, P.C., Montkza, M.K., Masarie, K.A., Lang, P.M., Crowell, A.M., Miller, J.B., Gatti, L.V. 2009 Observational constraints on recent increases in the atmospheric CH<sub>4</sub> burden. *Geophysical Research Letters* 36: L18803, doi:10.1029/2009GL039780

Dulvy, N.K., Pinnegar, J.K., Reynolds, J.D. 2009 Holocene extinctions in the sea. In: *Holocene Extinctions* (Ed. Turvey, S.T.), Oxford University Press, p129-150

Erwin, D.H. 2008 *Extinction: How Life on Earth Nearly Ended 250 Million Years Ago*. Princeton University Press, 320pp.

Ferretti, F., Worm, B., Britten, G.L., Heithaus, M.R., Lotze, H.K. 2010 Patterns and ecosystem consequences of shark declines in the ocean. *Ecology Letters* 13: 1055-1071

Graham, E.R., Thompson, J.T. 2009. Deposit- and suspension-feeding sea cucumbers (Echinodermata) ingest plastic fragments. *Journal of Experimental Marine Biology and Ecology* 368: 22–29



Heisler, J., Glibert, P.M., Burkholder, J.M., Anderson, D.M., Cochlan, W., Dennison, W.C., Dortch Q., Gobler, C.J., Heil, C.A., Humphries, E., Lewitus, A., Magnien, R., Marshall, H.G., Sellner, K., Stockwell, D.A., Stoecker, D.K., Suddleson, M. 2008 Eutrophication and harmful algal blooms: a scientific consensus. *Harmful Algae* 8: 3-13

Hirai H, Takada H et al. 2011. Organic micropollutants in marine plastics debris from the open ocean and remote and urban beaches. *Marine Pollution Bulletin*, In Press.

Hoegh-Guldberg, P. J. Mumby, P.J., Hooten, A.J., Steneck, R.S., Greenfield, P., Gomez, E., Harvell, C.D., Sale, P.F., Edwards, A.J., Caldeira, K., Knowlton, N., Eakin, C.M., Iglesias-Prieto, R., Muthiga, N., Bradbury, R.H., Dubi, A., Hatziolos, M.E. 2007 Coral reefs under rapid climate change and ocean acidification. *Science* 318: 1737–1742

Hughes, T.P., Graham, N.J.A., Jackson, J.B.C., Mumby, P.J., Steneck, R.S. 2010 Rising to the challenge of sustaining coral reef resilience. *Trends in Ecology and Evolution* 25: 633-642

Hutchings, J.A., Minto, C., Ricard, D., Baum, J.K., Jensen, O.P. 2010 Trends in the abundance of marine fishes. *Canadian Journal of Fisheries and Aquatic Sciences* 67: 1205-1210

Jackson, J.B.C. 2008 Ecological extinction and evolution in the brave new ocean. *Proceedings of the National Academy of Science of the USA* 105 Suppl. 1: 11458-11465

Jackson, J.B.C. 2010 The future of the oceans past. *Philosophical Transactions of the Royal Society of London B* 365: 3765-3768

Jackson, J.B.C., Kirby, M.X., Berger, W.H., Bjorndal, K.A., Botsford, L.W., Bourque, B.J., Bradbury, R.H., Cooke, R., Erlandson, J., Estes, J.A., Hughes, T.P., Kidwell, S., Lange, C.B., Lenihan, H.S., Pandolfi, J.M., Peterson, C.H., Steneck, R.S., Tegner, M.J., Warner, R.R. 2001 Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293: 629-638

Johnson, C.R., Banks, S.C., Barrett, N.S., Cazassus, F., Dunstan, P.K., Edgar, G.J., Frusher, S.D., Gardner, C., Haddon, M., Helidoniotis, F., Hill, K.L., Holbrook, N.J., Hosie, G.W., Last, P.R., Ling, S.D., Melbourne-Thomas, J., Miller, K., Pecl, G.T., Richardson, A.J., Ridgway, K.R., Rintoul, S.R., Ritz, D.A., Ross, D.J., Sanderson, J.C., Shepherd, S.A., Slotwinski, A., Swadling, K.M., Taw N. 2011 Climate change cascades: shifts in oceanography, species' ranges and subtidal marine community dynamics in eastern Tasmania. *Journal of Experimental Marine Biology and Ecology* 400: 17-32

Khan, S.A., Wahr, J., Bevis, M., Velicogna, I., Kendrick, E. 2010 Spread of ice mass loss into northwest Greenland observed by GRACE and GPS. *Geophysical Research Letters* 37: L06501, doi:10.1029/2010GL042460

King, A.L., Sañudo-Wilhelmy, S.A., Leblanc, K., Hutchins, D.A., Fu, F. 2011 CO<sub>2</sub> and vitamin B<sub>12</sub> interactions determine bioactive trace metal requirements of a subarctic Pacific diatom. *The ISME Journal* (2011): 1-9

la Farré, M., Pérez, S., Kantiani, L., Barceló, D. 2008. Fate and toxicity of emerging pollutants, their metabolites and transformation products in the aquatic environment. *Trends in Analytical Chemistry* 27: 991-1007

Landsberg, J.H. 2002 The effects of harmful algal blooms on aquatic organisms. *Reviews in Fisheries Science* 10: 113-390

Lenton, T.M., Held, H., Kriegler, E., Hall, J.W., Lucht, W., Rahmstorf, S., Schellnhuber, H.J. 2008 Tipping elements in the Earth's climate system. *Proceedings of the National Academy of Science of the USA* 105: 1786-1793

Lipp, E.K., Huq, A., Colwell, R.R. 2002 Effects of global climate on infectious disease: the cholera model. *Clinical Microbiology Reviews* 15: 757-770

Masó, M., Garcés, J., Pagès, F. & Camp, J. 2003 Drifting plastic debris as a potential vector for dispersing Harmful Algal Blooms (HAB) species. *Sci. Mar.* 67, 107–111.

Millero, F.J., Woosley, R., Ditrolio, B., Waters, J. 2009 Effect of ocean acidification on the speciation of metals in seawater. *Oceanography* 22: 72-85

Mills, C.E. 2001 Jellyfish blooms: are populations increasing globally in response to changing ocean conditions? *Hydrobiologia* 451: 55-68

Moore, C.J. 2008. Synthetic polymers in the marine environment: a rapidly increasing, long-term threat. *Environmental Research* 108:131-139

Moore, S.K., Trainer, V.L., Mantua, N.J., Parker, M.S., Laws, E.A., Backer, L.C., Fleming, L.E. 2008 Impacts of climate variability and future climate change on harmful algal blooms and human health. *Environmental Health* 7 (Suppl 4): doi:10.1186/1476-069X-7-S2-S4

Mumby, P.J., Harborne, A.R. 2010 Marine reserves enhance the recovery of corals on Caribbean reefs. *PLoSone* 5: e8657. doi:10.1371/journal.pone.0008657

Mumby, P.J., Hastings, A., Edwards, H.J. 2007 Thresholds and the resilience of Caribbean corals reefs. *Nature* 450: 98-101

Murray F and Cowie, PR. 2011. Plastic contamination in the decapod crustacean *Nephrops norvegicus* (Linnaeus, 1758). *Marine Pollution Bulletin*, In Press.

Myers, R.A., Baum, J.K., Shepherd, T.D., Powers, S.P., Peterson, C.H. 2007 Cascading effects of the loss of apex predatory sharks from a coastal ocean. *Science* 315: 1846-1850

Nicholls R.J., Marinova, N., Lowe, J.A., Brown, S., Vellinga, P., De Gusmão, D., Jochen Hinkel, J., Tol, R.S.J. 2011 Sea-Level Rise And Its Possible Impacts Given A “Beyond 4°C World” In The Twenty First Century. *Philosophical Transactions of the Royal Society A* 369: 161-181

OSPAR. 2010. OSPAR Commission Quality Status Report 2010. OSPAR publication number 497/2010. 177 pp. Available from <http://qsr2010.ospar.org/en/index.html>.

Parker, L.M., Ross, P.M. & O'Connor, W.A. 2009. The effect of ocean acidification and temperature on the fertilization and embryonic development of the Sydney rock oyster *Saccostrea glomerata* (Gould 1850). *Global Change Biology* 15(9): 2123-2136

Pascal, P.-Y., Fleeger, J.W., Galvez, F., Carman, K.R. 2010 The toxicological interaction between ocean acidity and metals in coastal meiobenthic copepods. *Marine Pollution Bulletin* 60: 2201-2208

Pauly, D., Christensen, V., Dalsgaard, J., Froese, R., Torres, F.C. 1998 Fishing down marine food webs. *Science* 279: 860-863

Pauly, D., W. Graham, S. Libralato, L. Morissette and M.L.D. Palomares. 2009. Jellyfish in ecosystems, online databases and ecosystem models. *Hydrobiologia* 616 (1): 67-85.

Philippart, C.J.M., Anadón, R., Danovaro, R., Dippner, J.W., Drinkwater, K.F., Hawkins, S.J., Oguz, T., O'Sullivan, G., Reid, P.C. 2011 Impacts of climate change on European marine ecosystems: Observations, expectations and indicators. *Journal of Experimental Marine Biology and Ecology* 400: 52-69

Pinskya, M.L., Jensen, O.P., Ricard, D., Palumbi, S.R. 2011 Unexpected patterns of fisheries collapse in the world's oceans. *Proceedings of the National Academy of Science of the USA*  
doi:10.1073/pnas.1015313108/

Porte, C., Janer, G., Lorusso, L.C., Ortiz-Zarragoitia, M., Cajaraville, M.P., Fossi, M.C., Canesi, L. 2006. Endocrine disruptors in marine organisms: approaches and perspectives. *Comparative Biochemistry and Physiology* 143C: 303-315

Purcell, J.E., Uye, S., Lo, W. 2007 Anthropogenic causes of jellyfish blooms and their direct consequences for humans: a review. *Marine Ecology Progress Series* 350: 153–174

Rabalais, N.N., Turner, R.E., Wiseman, W.J. 2001 Hypoxia in the Gulf of Mexico. *Journal of Environmental Quality* 30: 320-329

Rabalais, N.N., Turner, R.E., Wiseman, W.J. 2002 Gulf of Mexico hypoxia, a.k.a. “The Dead Zone”. *Annual Review of Ecology and Systematics* 33: 235-263

Rahmstorf, S. 2007a A semi-empirical approach to projecting future sea level rise. *Science* 315: 368-370

Rahmstorf, S. 2007b Response to comments on “A semi-empirical approach to projecting future sea level rise. *Science* 317: 1866

Reid, P.C., Fischer, A.C., Lewis-Brown, E., Meredith, M.P., Sparrow, M., Andersson, A.J., Antia, A., Bates, N.R., Bathmann, U., Beaugrand, G., Brix, H., Dye, S., Edwards, M., Furevik, T., Gangstø, R., Hátún, H., Hopcroft, R.R., Kendall, M., Kasten, S., Keeling, R., Le Quéré, C., Mackenzie, F.T., Malin, G., Mauritzen, C., Ólafsson, J., Paull, C., Rignot, E., Shimada, K., Vogt, M., Wallace, C., Wang, Z., Washington, R. 2009 Impacts of the oceans on climate change. *Advances in Marine Biology* 56: 1-150

Rignot, E., Bamber, J.L., Van Den Broeke, M.R., Davis, C., Li, Y., Van De Berg, W.J., Van Meijgaard, E. 2008 Recent Antarctic ice mass loss from radar interferometry and regional climate modelling. *Nature Geoscience* 1: 106-110

Rignot, E., Velicogna, I., van den Broeke, M.R., Monaghan, A., Lenaerts, J.T.M. 2011 Acceleration of the contribution of the Greenland and Antarctic ice sheets to sea level rise. *Geophysical Research Letters* 38: L05503, doi:10.1029/2011GL046583

Rosenberg, R.A., Bolster, W.J., Alexander, K.E., Leavenworth, W.B., Cooper, A.B., McKenzie, M.G. 2005 The history of ocean resources: modelling cod biomass using historical records. *Frontiers in Ecology and the Environment* 3: 84-90

Schiel, D.R. 2011 Biogeographic patterns and long-term changes on New Zealand coastal reefs: Non-trophic cascades from diffuse and local impacts. *Journal of Experimental Marine Biology and Ecology* 400: 33-51

Shakova, N., Semiletov, I., Salyuk, A., Yusupov, V., Kosmach, D., Gustafsson, Ö. 2010 Extensive methane venting to the atmosphere from sediments of the East Siberian Arctic shelf. *Science* 327: 1246-1250

Shi, D.L., Xu, Y., Hopkinson, B.M., Morel, F.M.M. 2010 Effect of ocean acidification on iron availability to marine phytoplankton. *Science* 327:676-679

Stroeve, J., Holland, M.M., Meier, W., Scambos, T., Serreze, M. 2007 Arctic sea ice decline: faster than forecast. *Geophysical Research Letters* 34: L09501, doi: 10.1029/2007GL029703

Thomson, R.C., Moore, C.J., Vom Saal, F.S., Swan, S.H. 2009 Plastics, the environment and human health: current consensus and future trends. *Philosophical Transactions of the Royal Society B* 364: 2153-2166

Van Dolah, F.M. 2000 Marine algal toxins: origins, health effects and their increased occurrence. *Environmental Health Perspectives* 108 (Suppl. 1): 133-141

Vaquer-Sunyer, R., Duarte, C.M. 2010 Thresholds of hypoxia for marine biodiversity. *Proceedings of the National Academy of Science of the USA* 105: 15452-15457

Velicogna, I. 2009 Increasing rates of ice mass loss from the Greenland and Antarctic icesheets revealed by GRACE. *Geophysical Research Letters* 36: L19503, doi:10.1029/2009GL040222

Veron, J.E.N. 2008a *A Reef in Time: The Great Barrier Reef from Beginning to End*. Belknap Press of Harvard University Press, Cambridge, Mass, USA

Veron, J.E.N. 2008b Mass extinctions and ocean acidification: biological constraints on geological dilemmas. *Coral Reefs* 27: 459–472

Veron, J.E.N., Hoegh-Guldberg, O., Lenton, T.M., Lough, J.M., Obura, D.O., Pearce-Kelly, P., Sheppard, C.R.C., Spalding, M., Stafford-Smith, M.G., Rogers, A.D. 2009 The coral reef crisis: the critical importance of <350ppm CO<sub>2</sub>. *Marine Pollution Bulletin* 58: 1428-1437

Wang, J., Wu, J. 2009 Occurrence and potential risks of harmful algal blooms in the East China Sea. *Science of the Total Environment* 407: 4012-4021

Wang, M., Overland, J.E. 2009 A sea ice free summer Arctic within 30 years? *Geophysical Research Letters* 36: L07502, doi:10.1029/2009GL037820

Ward-Paige, C.A., Mora, C., Lotze, H.K., Pattengill-Semmens C., McClenachan, L., Arias-Castro, E., Myers, R.A. 2010 Large-scale absence of sharks on reefs in the greater Caribbean: a footprint of human pressures. *PLoSone* 5: e11968

Wassmann, P., Duarte, C.M., Agustí, S., Sejr, M.K. 2011 Footprints of climate change in the Arctic marine ecosystem. *Global Change Biology* 17: 1235-1249

Wernberg, T., Russell, B.D., Moore, P.J., Ling, S.D., Smale, D.A., Campbell, A., Coleman, M.A., Steinberg, P.D., Kendrick, G.A., Connell, S.D. 2011 Impacts of climate change in a global hotspot for temperate marine biodiversity and ocean warming. *Journal of Experimental Marine Biology and Ecology* 400: 7-16

Westbrook, G.K., Thatcher, K.E., Rohling, E.J., Piotrowski, A.M., Pälike, H., Osborne, A.H., Nisbet, E.G., Minshull, T.A., Lanoisellé, M., James, R.H., Hühnerbach, V., Green, D., Fisher, R.E., Crocker, A.J., Chabert, A., Bolton, C., Beszczynska-Möller, A., Berndt, C., Aquilina, A. 2009 Escape of methane gas from the seabed along the West Spitzbergen continental margin. *Geophysical Research Letters* 36: L15608, doi:10.1029/2009GL039191

Worm, B., Barbier, E.B., Beaumont, N., Duffy J.E., Folke, C., Halpern, B.S., Jackson, J.B.C., Lotze, H.K., Micheli, F., Palumbi, S.R., Sala, E., Selkoe, K.A., Stachowicz, J.J., Watson, R. 2006 Impacts of biodiversity loss on ocean ecosystem services. *Science* 314: 787-790

Worm, B., Myers, R.A. 2003 Meta-analysis of cod–shrimp interactions reveals top-down control in oceanic food webs. *Ecology* 84: 162-173